



LAWS OF MALAYSIA

FACTORIES AND MACHINERY ACT 1967 [ACT 139]

P.U.(A) 289/86

FACTORIES AND MACHINERY (ASBESTOS PROCESS) REGULATIONS 1986

Publication : 14th August 1986
Date of coming into operation : 1st September 1986

ARRANGEMENT OF REGULATIONS

[Preamble](#)

PART I - PRELIMINARY

[Regulation 1. Citation and commencement.](#)

[Regulation 2. Interpretation.](#)

[Regulation 3. Application.](#)

[Regulation 4. Prohibition of use of crocidolite in manufacturing process.](#)

PART II - PERMISSIBLE EXPOSURE LIMIT

[Regulation 5. Permissible exposure limit.](#)

PART III - EXHAUST EQUIPMENT AND EMPLOYEE PROTECTION

[Regulation 6. Exhaust equipment to be provided.](#)

[Regulation 7. Inspection of exhaust equipment.](#)

[Regulation 8. Protection of employees are not engaged in prescribed area or prescribed work.](#)

[Regulation 9. Personal protective equipment.](#)

[Regulation 10. Obligations of employee.](#)

PART IV - HOUSEKEEPING

[Regulation 11. Cleaning.](#)

PART V - HANDLING AND DISPOSAL

[Regulation 12. Handling and disposal of asbestos material.](#)

PART VI - MEDICAL EXAMINATIONS

[Regulation 13. Medical examinations.](#)

[Regulation 14. Contents of medical examinations.](#)

[Regulation 15. Medical examination report.](#)

[Regulation 16. Further examination or tests.](#)

[Regulation 17. Removal from work.](#)

[Regulation 18. Employee to comply.](#)

PART VII - MONITORING FOR ASBESTOS DUST EXPOSURE

[Regulation 19. Personal monitoring.](#)

PART VIII - CHANGE ROOMS, LOCKERS AND SHOWER FACILITIES

[Regulation 20. Change rooms, lockers and shower facilities.](#)

[Regulation 21. Employees to make full use of facilities.](#)

PART IX - EMPLOYEE INFORMATION AND TRAINING

[Regulation 22. Training programme.](#)

PART X - RECORD KEEPING.

[Regulation 23. Medical reports.](#)

[Regulation 24. Personal monitoring records.](#)

[Regulation 25. Availability of records.](#)

[Regulation 26. Transfer of records.](#)

PART XI - MISCELLANEOUS

[Regulation 27. Smoking.](#)

[Regulation 28. Penalty.](#)